

jetStamp® 1025 sense



- ✓ Print measurement values and data directly at the point of measurement
- ✓ 100% mobile and flexible to use
- ✓ Direct printing at the push of a button
- ✓ Large print area up to 85 × 26 mm (expandable to 85 × 52 mm with accessories)
- ✓ Print variable data (text, barcode, time, date)

The mobile all-rounder for data capture and direct printing


The jetStamp® 1025 sense expands mobile direct printing with additional connection and integration options, allowing variable data to be transferred directly to the device. Compared to the standard jetStamp® 1025, the sense model enables more autonomous workflows for variable print content.

Using the connected barcode scanner, 1D and 2D codes can be read directly and automatically transferred into the print image. This allows information from work orders, delivery notes or existing barcodes to be printed directly onto items, packaging, documents or containers without an intermediate step.

In many applications, the jetStamp® 1025 sense can therefore replace a combination of barcode scanner, PC and label printer, integrating marking autonomously into the workflow.

In addition, external devices such as scales or measuring instruments can be connected via the sense interface. Captured values – for example weight information – are transferred directly and printed immediately onto delivery notes, product packaging or accompanying documents

This makes the jetStamp® 1025 sense particularly suitable for applications where variable data needs to be processed on the move, clearly and without an additional PC or label station. Multiple print images can be stored on the device and selected flexibly. Printing takes place directly at the workstation – on materials such as cardboard, paper, wood, plastic, metal or glass.




Technical specifications

Feature	Specification
Printing process	Inkjet (TIJ)
Imprint contents	Numbers, date, time, text, 1D & 2D code sequential, graphics
Max. impression size (W × H)	85 × 26 mm (expandable to 85 × 52 mm with accessories)
Number of lines	Multi-line
Print resolution	300 dpi
Print speed	< 1 s pro Abdruck < 1 second per impression
Storable print images	Up to 255
Type of operation	Mobile, flexible
Operation	Printing at the touch of a button or printing by external trigger
Advertisement	With Display
Print image creation	PCset graphic, MOBILEset graphic
Data transmission	USB, Bluetooth, Wi-Fi
Device dimensions (L × W × H)	195 × 100 × 200 mm
Weight	approx. 900 g
Battery configuration	4 × AA rechargeable battery
Battery capacity	Up to 1,000 impressions
Interfaces	V24/RS232 Sensor Adapter Cable and 1D/2D Barcode Scanner
Order number	1030 000-202 (jetStamp® 1025 sense including PRO case)

Surfaces & Materials

The device is suitable for direct marking on various surfaces and materials. The print quality and adhesion depend on the material properties, surface, and ink used.



Sample impressions

Text, numbers, barcodes, logos, and graphics can be printed. The print layout can be customized as desired.



*The variable data is highlighted in color

Ink cartridges

Various inkjet print cartridges are available for the jetStamp® 1025 sense. The selection of the appropriate cartridge depends on the surface and material of the product to be printed.



Accessories

The right accessories expand the device’s range of applications and provide greater flexibility in everyday work.



Sensory

Barcode Scanner 1D/2D

Scans 1D and 2D barcodes, automatically captures the data, and inserts it into predefined fields.

Order no.: 1037 520-010



Sensory

Sensor Adapter Cable V24/R232

Transfers measured values directly to the jetStamp® 1025 sense.

Order no.: 1037 540-010



Positioning

Centering Aid for EPAL Pallet Block

Exact centering for precise impressions on EPAL pallet blocks. (When used with the 2-inch spike extension).

Order no.: 1037 670-000




Protection

Carrying Strap

Reliable fall protection for safe working with the jetStamp®.

Order no.: 1037 580-000



Automation

Packaging Print Station PS100

Stationary system for reproducible packaging labeling.

Order no.: 1034 010-000




Automation

Paper Print Station PS12

Automatic, even printing on paper, cardboard, and card stock up to DIN A4 size.

Order no.: 1037 300-000



Positioning

2-Inch Print Extension SPIKES

Enables 2-inch impressions on rough wooden surfaces and Euro pallets.

Order no.: 1037 630-010



Positioning

2-Inch Print Extension GRIP

Enables 2-inch impressions on smooth surfaces such as cardboard and packaging.

Order no.: 1037 630-000



Positioning

Positioning Template Set

Precise impressions on small parts and flexible materials.

Order no.: 1037 240-000



Automation

Holding Arm

Flexibly adjustable support arm for a precise and stable printing position.

Order no.: 1037 270-000



Automation

Foot Switch

External pressure activation by foot or hand for hands-free operation.

Order no.: 381 050-005




Transportation & Storage

jetSafe PRO Case

Maximum protection and space for devices and accessories—even in harsh operating conditions.

Order no.: 1037 040-000



Positioning

Positioning Mat

For reproducible impressions on small and curved objects.

Order no.: 1037 210-000



Protection

Protective Silicone Cover

Robust all-round protection against shocks, dust, and dirt.

Order no.: 1037 600-010



Protection

Protective Textile Cover

Reliably protects your jetStamp® device from dust and dirt.

Order no.: 1037 260-000



Consumables

Replacement Seal Set P5-S3

Ensure consistent print quality and protect the print cartridge from drying out.

Order no.: 1037 290-000



Consumables

Replacement Seal Set P5-MP3/P5-MP4

Ensure consistent print quality and protect the print cartridge from drying out.

Order no.: 1037 290-100



More product info online



Consumables

Ink Collection Tray Set

Self-adhesive tray for spitting - optimized for specialized and delicate print images.

Order no.: 1037 230-000



Consumables

AA Rechargeable Batterie (1 piece)

Reliable power for extended mobile use. 4 pieces are required for jetStamp® 1025 sense.

Order no.: 946 192-100



Solution Partner
Ernst Reiner
GmbH & Co. KG



Ernst REINER GmbH & Co. KG

Baumannstraße 16
78120 Furtwangen/Germany
Phone +49 7723 657-0
marking@reiner.de
www.reiner.de

Your REINER distributor:

Stamp / contact details